2020 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

		High Schools		Mic	idle Schools			/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Physical education and physical activity	91.0	90.1 - 91.8	22	60.7	59.5 - 61.9	31	-	-	1	71.5	70.7 - 72.4	54
b.	Nutrition	86.3	85.2 - 87.3	22	60.7	59.5 - 61.9	31	-	-	1	69.7	68.8 - 70.6	54
c.	Tobacco-use prevention	91.0	90.1 - 91.8	22	67.4	66.2 - 68.6	31	-	-	1	75.5	74.6 - 76.3	54
d.	Alcohol- and other drug-use prevention	86.3	85.2 - 87.3	22	64.4	63.2 - 65.6	31	-	-	1	71.9	71.0 - 72.7	54
e.	Chronic health conditions (e.g., asthma, food allergies)	72.3	70.9 - 73.6	22	41.9	40.6 - 43.1	30	-	-	1	53.3	52.4 - 54.3	53
f.	Unintentional injury and violence prevention (safety)	86.3	85.2 - 87.3	22	51.0	49.7 - 52.2	30	-	-	1	64.2	63.3 - 65.1	53
g.	Sexual health, including HIV, other STD, and pregnancy prevention	81.6	80.4 - 82.8	22	57.8	56.5 - 59.0	31	-	-	1	66.1	65.2 - 67.0	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Health education	56.5	55.0 - 58.0	21	23.1	22.0 - 24.3	27	-	-	0	37.4	36.4 - 38.4	48
b.	Physical education	61.8	60.3 - 63.2	21	27.5	26.3 - 28.7	27	-	-	0	42.1	41.1 - 43.1	48
c.	Physical activity	52.0	50.4 - 53.5	21	15.4	14.5 - 16.5	27	-	-	0	31.0	30.1 - 31.9	48
d.	School meal programs	42.5	41.0 - 44.0	21	15.4	14.5 - 16.5	27	-	-	0	27.0	26.1 - 27.9	48
e.	Foods and beverages available at school outside the school meal programs	42.5	41.0 - 44.0	21	11.1	10.3 - 12.0	27	-	-	0	24.5	23.6 - 25.3	48
f.	Health services	69.8	68.3 - 71.2	20	28.4	27.2 - 29.7	26	-	-	0	45.9	44.8 - 46.9	46
g.	Counseling, psychological, and social services	80.7	79.5 - 81.9	21	48.8	47.4 - 50.1	27	-	-	0	62.4	61.4 - 63.4	48
h.	Physical environment	80.7	79.5 - 81.9	21	30.9	29.6 - 32.1	27	-	-	0	52.1	51.1 - 53.1	48
i.	Social and emotional climate	75.8	74.5 - 77.1	21	53.1	51.7 - 54.4	27	-	-	0	62.8	61.8 - 63.7	48
j.	Family engagement	85.3	84.2 - 86.4	21	56.5	55.1 - 57.8	27	-	-	0	68.8	67.8 - 69.7	48
k.	Community involvement	85.3	84.2 - 86.4	21	53.1	51.7 - 54.4	27	-	-	0	66.8	65.8 - 67.8	48
1.	Employee wellness	70.9	69.5 - 72.3	21	26.5	25.4 - 27.8	27	-	-	0	45.4	44.4 - 46.5	48

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0 † 21			91.9	91.1 - 92.7	26	_	-	1	93.5	92.9 - 94.0	48

^{*}Among schools that engaged in an improvement planning process during the past year.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

		High Schools		Mie	ddle Schools			/Senior Hig Schools	;h	A	All Schools		
			95% Confidence			95% Confidence		1	95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Reviewed district's local wellness policy	90.7	89.7 - 91.5	22	91.2	90.5 - 91.8	31	-	-	1	89.3	88.7 - 89.9	54
b.	Helped revise district's local wellness policy	76.9	75.7 - 78.2	22	61.5	60.3 - 62.7	31	-	-	1	66.5	65.6 - 67.4	54
c.	Communicated to school staff about district's local wellness policy	95.3	94.6 - 95.9	22	91.2	90.5 - 91.8	31	-	-	1	91.1	90.6 - 91.6	54
d.	Communicated to parents and families about district's local wellness policy	81.3	80.1 - 82.5	22	81.6	80.6 - 82.5	31	-	-	1	79.9	79.2 - 80.7	54
e.	Communicated to students about district's local wellness policy	86.0	84.9 - 87.0	22	79.4	78.4 - 80.4	31	-	-	1	82.4	81.7 - 83.1	54
f.	Measured school's compliance with district's local wellness policy	77.3	76.0 - 78.5	22	75.7	74.6 - 76.7	31	-	-	1	76.7	75.9 - 77.5	54
g.	Developed an action plan that describes steps to meet requirements of district's local wellness policy	90.7	89.7 - 91.5	22	81.6	80.6 - 82.5	31	-	-	1	85.5	84.8 - 86.1	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

H	High Schools			ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	22	94.1	93.5 - 94.7	31	_	-	1	96.6	96.2 - 96.9	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

Н	High Schools			ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.3	94.6 - 95.9	22	81.6	80.6 - 82.5	31	_	-	1	85.5	84.8 - 86.1	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

		High Schools		Mic	idle Schools			/Senior Hig Schools	;h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identified student health needs based on a review of relevant data	90.2	89.2 - 91.1	21	80.0	78.9 - 81.1	25	-	-	0	84.5	83.7 - 85.2	46
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	85.3	84.2 - 86.4	21	81.0	79.9 - 82.0	25	-	-	0	82.9	82.1 - 83.6	46
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	90.5	89.6 - 91.4	21	71.8	70.5 - 73.1	25	-	-	0	80.1	79.2 - 80.9	46
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	100.0	†	21	96.4	95.9 - 96.9	25	-	-	0	98.0	97.7 - 98.2	46
e.	Reviewed health-related curricula or instructional materials	80.7	79.5 - 81.9	21	56.4	55.0 - 57.8	25	-	-	0	67.1	66.1 - 68.1	46

^{*}Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Included before- or after-school settings as part of the School Improvement Plan	62.9	61.5 - 64.4	22	29.0	27.8 - 30.2	28	-	-	0	43.5	42.6 - 44.5	50
b.	Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	72.0	70.6 - 73.3	22	41.4	40.2 - 42.7	31	-	-	1	54.6	53.6 - 55.5	54
c.	Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	67.3 65.9 - 68.7 22		83.7	82.7 - 84.6	31	-	-	1	77.5	76.7 - 78.3	54	

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

H	High Schools			ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.3 94.6 - 95.9 22			77.5	76.4 - 78.6	31	_	_	1	85.0	84.2 - 85.7	54

Page 9 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup. $N = Unweighted \ number \ of \ observations$

2020 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

		High Schools		Mie	ddle Schools			/Senior Hig Schools	gh	A	All Schools		
			95% Confidence			95% Confidence		(95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	95.6	95.0 - 96.2	22	92.5	91.8 - 93.2	31	-	-	1	93.9	93.4 - 94.3	54
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	100.0	†	22	69.0	67.8 - 70.1	31	-	-	1	81.8	81.1 - 82.5	54
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	100.0	†	22	83.7	82.7 - 84.6	31	-	-	1	90.4	89.9 - 91.0	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

H	High Schools			ddle Schools		Junior/Ser	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.3 94.6 - 95.9 22			94.1	93.5 - 94.7	31	_	_	1	94.7	94.3 - 95.1	54

N = Unweighted number of observations

Page 11 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

H	High Schools			ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.3	94.6 - 95.9	22	97.1	96.6 - 97.4	31	_	_	1	94.6	94.1 - 95.0	54

N = Unweighted number of observations

Page 12 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mid	dle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.3	94.6 - 95.9	22	100.0	†	31	_	_	1	98.2	97.9 - 98.4	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

		High Schools			Mid	dle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a	. Sixth grade	§	§	§	100.0	†	30	-	-	1	100.0	†	31
b	. Seventh grade	§	§	§	100.0	†	31	-	-	1	100.0	†	32
c	. Eighth grade	§	§	§	100.0	†	31	-	-	1	100.0	†	32
d	. Ninth grade	100.0	†	21	-	-	0	-	-	1	100.0	†	22
e	. Tenth grade	100.0	†	22	§	§	§	-	-	1	100.0	†	23
f.	Eleventh grade	46.1	44.6 - 47.6	22	§	§	§	-	-	1	48.5	47.1 - 50.0	23
g	. Twelfth grade	46.1	44.6 - 47.6	22	§	§	§	-	-	1	48.5	47.1 - 50.0	23

^{*}Among schools with students in that grade.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[§] Grade is not applicable for type of school.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
100.0	†	22	83.2	82.2 - 84.1	30	_	-	1	90.3	89.7 - 90.8	53	

N = Unweighted number of observations

Page 15 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

		High Schools		Mic	dle Schools			r/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	95.6	95.0 - 96.2	22	81.6	80.6 - 82.5	31	-	-	1	87.5	86.8 - 88.1	54
b.	Require physical education teachers to follow a written physical education curriculum	95.6	95.0 - 96.2	22	77.8	76.7 - 78.8	31	-	-	1	83.4	82.7 - 84.1	54
c.	Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	27.7	26.4 - 29.1	22	30.5	29.3 - 31.7	31	-	-	1	30.7	29.8 - 31.6	54
d.	Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	4.7	4.1 - 5.4	22	14.2	13.3 - 15.1	31	-	-	1	10.2	9.6 - 10.8	54
e.	Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	95.4	94.8 - 96.0	21	97.1	96.6 - 97.4	31	-	-	1	96.5	96.1 - 96.8	53
f.	Limit physical education class sizes so that they are the same size as other subject areas	40.8	39.4 - 42.3	22	36.6	35.4 - 37.9	31	-	-	1	37.6	36.7 - 38.5	54
g.	Have a dedicated budget for physical education materials and equipment	86.3	85.2 - 87.3	22	61.2	59.9 - 62.4	30	-	-	1	72.0	71.1 - 72.9	53

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

		Hi	gh Schools		Mic	ddle Schools			:/Senior Hig Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
h.	Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	95.6	95.0 - 96.2	22	97.1	96.6 - 97.4	31	-	-	1	96.6	96.2 - 96.9	54
i.	Include students with disabilities in regular physical education courses as appropriate	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.0	69.6 - 72.4	21	55.1	53.8 - 56.3	31	-	-	1	62.1	61.1 - 63.0	53

Page 18 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup. $N = Unweighted \ number \ of \ observations$

2020 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
90.5	89.6 - 91.4	21	94.1	93.5 - 94.7	31	-	-	1	92.8	92.4 - 93.3	53	

N = Unweighted number of observations

Page 19 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
91.3	90.4 - 92.1	22	34.0	32.8 - 35.1	31	_	-	1	56.0	55.0 - 56.9	54	

⁻ Results are suppressed due to insufficient number of respondents in subgroup. $N = Unweighted \ number \ of \ observations$

2020 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

		Hi	gh Schools		Mic	dle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	. Before the school day	49.5	48.0 - 51.0	22	50.5	49.3 - 51.8	31	-	-	1	51.1	50.1 - 52.0	54
b	. After the school day	100.0	†	22	77.1	76.0 - 78.2	30	_	-	1	86.8	86.1 - 87.4	53

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

		Hi	igh Schools		Mic	ldle Schools			:/Senior Hig Schools	h	A	All Schools	
		95% Confidence Percent Interval N				95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Physical activity or sports facilities	72.3	70.9 - 73.6	22	62.8	61.6 - 64.1	31	-	-	1	65.4	64.5 - 66.3	54
b.	Kitchen facilities and equipment	22.1	20.9 - 23.4	22	3.7	3.3 - 4.3	31	-	-	1	10.9	10.4 - 11.5	54
c.	Gardens	35.8	34.4 - 37.3	22	17.1	16.2 - 18.1	31	_	_	1	24.2	23.4 - 25.0	54

N = Unweighted number of observations

Page 22 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

H	igh Schools		Mi	ddle Schools		Junior/Ser	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
40.2	38.7 - 41.7	22	23.8	22.7 - 24.9	31	_	-	1	29.8	29.0 - 30.7	54	

Page 23 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup. $N = Unweighted \ number \ of \ observations$

2020 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

H	igh Schools		Mi	ddle Schools		Junior/Ser	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.8	64.3 - 67.2	21	54.8	53.6 - 56.1	31	_	-	1	58.0	57.1 - 59.0	53

N = Unweighted number of observations

Page 24 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
100.0	†	22	94.1	93.5 - 94.7	31	_	_	1	96.6	96.2 - 96.9	54	

N = Unweighted number of observations

Page 25 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools			/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
c.	Cigars	100.0	†	22	86.6	85.7 - 87.5	31	-	-	1	92.2	91.6 - 92.7	54
d.	Pipes	100.0	†	22	90.4	89.6 - 91.1	31	-	-	1	94.4	93.9 - 94.8	54
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		Hi	gh Schools		Mie	ddle Schools			/Senior Hig Schools	h	A	All Schools	
		D (95% Confidence	N T	D.	95% Confidence	NT		95% Confidence	N.T.	D	95% Confidence	N T
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	100.0	†	21	94.1	93.5 - 94.7	31	-	-	1	96.5	96.1 - 96.8	53
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	100.0	†	21	90.4	89.6 - 91.1	31	-	-	1	94.3	93.8 - 94.7	53
c.	Cigars	100.0	†	21	90.4	89.6 - 91.1	31	-	-	1	94.3	93.8 - 94.7	53
d.	Pipes	100.0	†	21	86.6	85.7 - 87.5	31	-	-	1	92.0	91.5 - 92.5	53
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	100.0	†	21	94.1	93.5 - 94.7	31	-	-	1	96.5	96.1 - 96.8	53

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hi	gh Schools		Mie	ddle Schools			/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence		•	95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cigarettes	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	100.0	†	22	90.4	89.6 - 91.1	31	-	-	1	94.4	93.9 - 94.8	54
c.	Cigars	100.0	†	22	90.4	89.6 - 91.1	31	-	-	1	94.4	93.9 - 94.8	54
d.	Pipes	100.0	†	22	86.6	85.7 - 87.5	31	-	-	1	92.2	91.6 - 92.7	54
e.	Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

Page 28 of 64

2020 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

		Hi	gh Schools		Mie	ddle Schools			r/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
b.	During non-school hours	81.6	80.4 - 82.8	22	84.5	83.6 - 85.4	31	-	-	1	83.6	82.9 - 84.3	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

		Hi	gh Schools		Mic	ddle Schools			r/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	22	91.2	90.5 - 91.8	31	-	-	1	94.8	94.4 - 95.2	54
b.	During non-school hours	81.6	80.4 - 82.8	22	71.9	70.8 - 73.0	31	-	-	1	76.3	75.5 - 77.1	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	Hi	igh Schools		Mie	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	100.0	†	22	91.2	90.5 - 91.8	31	-	-	1	94.8	94.4 - 95.2	54
b. During non-school hours	81.6	80.4 - 82.8	22	71.9	70.8 - 73.0	31	_	-	1	76.3	75.5 - 77.1	54

N = Unweighted number of observations

Page 31 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		Hi	gh Schools		Mie	ddle Schools			r/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
b.	Outside on school grounds, including parking lots and playing fields	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
c.	On school buses or other vehicles used to transport students	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
d.	At off-campus, school-sponsored events	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		Hi	gh Schools		Mie	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
b.	Outside on school grounds, including parking lots and playing fields	100.0	†	22	91.2	90.5 - 91.8	31	-	-	1	94.8	94.4 - 95.2	54
c.	On school buses or other vehicles used to transport students	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
d.	At off-campus, school-sponsored events	100.0	†	22	90.4	89.6 - 91.1	31	-	-	1	94.4	93.9 - 94.8	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		Hi	gh Schools		Mie	ddle Schools			r/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
b.	Outside on school grounds, including parking lots and playing fields	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
c.	On school buses or other vehicles used to transport students	100.0	†	22	94.1	93.5 - 94.7	31	-	-	1	96.6	96.2 - 96.9	54
d.	At off-campus, school-sponsored events	100.0	†	22	87.4	86.6 - 88.2	31	-	-	1	92.6	92.1 - 93.1	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

Page 34 of 64

2020 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
80.7	79.5 - 81.9	21	64.4	63.2 - 65.6	31	_	-	1	71.4	70.5 - 72.2	53

N = Unweighted number of observations

Page 35 of 64

^{*}Responses to question 25 (a, b, c, and d), question 26 (a and b), and question 27 (a, b, c, and d) are all "yes."

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

TOBVAPE. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products. A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

H	igh Schools		Mi	ddle Schools		Junior/Ser	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
80.7	79.5 - 81.9	21	64.4	63.2 - 65.6	31	-	_	1	71.4	70.5 - 72.2	53

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

		Н	igh Schools		Mic	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Foods or beverages are not offered at school celebrations	4.7	4.1 - 5.4	22	3.7	3.3 - 4.3	31	-	-	1	4.0	3.7 - 4.5	54
b.	Never	0.0	†	22	0.0	†	31	-	-	1	0.0	†	54
c.	Rarely	4.7	4.1 - 5.4	22	16.3	15.4 - 17.3	31	-	-	1	11.4	10.8 - 12.0	54
d.	Sometimes	32.4	31.0 - 33.8	22	43.6	42.3 - 44.8	31	-	-	1	40.2	39.3 - 41.1	54
e.	Always or almost always	58.3	56.8 - 59.7	22	36.4	35.2 - 37.6	31	-	-	1	44.3	43.4 - 45.3	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

Page 37 of 64

2020 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.9	62.4 - 65.3	22	55.3	54.1 - 56.6	31	_	_	1	57.7	56.7 - 58.6	54

N = Unweighted number of observations

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools 95%		Mic	ddle Schools			r/Senior Hig Schools	;h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Chocolate candy	9.0	8.2 - 9.9	22	2.9	2.6 - 3.4	31	-	-	1	5.3	4.9 - 5.7	54
b.	Other kinds of candy	9.0	8.2 - 9.9	22	8.8	8.2 - 9.5	31	-	-	1	8.7	8.2 - 9.3	54
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	13.7	12.7 - 14.8	22	14.7	13.9 - 15.6	31	-	-	1	14.0	13.4 - 14.7	54
d.	Low sodium or "no added salt" pretzels, crackers, or chips	49.8	48.4 - 51.3	22	34.0	32.8 - 35.1	31	-	-	1	39.6	38.7 - 40.5	54
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	13.7	12.7 - 14.8	22	12.6	11.8 - 13.4	31	-	-	1	12.8	12.2 - 13.4	54
f.	Ice cream or frozen yogurt that is not low in fat	4.7	4.1 - 5.4	22	15.5	14.6 - 16.4	31	-	-	1	10.9	10.4 - 11.5	54
g.	2% or whole milk (plain or flavored)	36.4	35.0 - 37.9	22	25.1	24.1 - 26.2	31	-	-	1	29.1	28.3 - 30.0	54
h.	Nonfat or 1% (low-fat) milk (plain)	45.5	44.0 - 47.0	22	30.2	29.1 - 31.4	31	-	-	1	35.7	34.8 - 36.6	54
i.	Water ices or frozen slushes that do not contain juice	13.4 12.4 - 14.4 22		5.9	5.3 - 6.5	31	-	-	1	8.7	8.2 - 9.3	54	
j.	Soda pop or fruit drinks that are not 100% juice	9.0 8.2 - 9.9 22		5.9	5.3 - 6.5	31	-	-	1	7.0	6.6 - 7.5	54	
k.	Sports drinks (e.g., Gatorade)	54.8	53.3 - 56.3	22	15.5	14.6 - 16.4	31	-	-	1	30.8	29.9 - 31.6	54

N = Unweighted number of observations

Page 39 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools		Mie	ddle Schools			:/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
1.	Energy drinks (e.g., Red Bull, Monster)	0.0	†	22	0.0	†	31	-	-	1	0.0	†	54
m.	Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	59.5	58.0 - 61.0	22	39.0	37.8 - 40.3	31	-	-	1	46.4	45.5 - 47.4	54
n.	Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	32.1	30.7 - 33.5	22	31.0	29.9 - 32.2	31	-	-	1	30.9	30.0 - 31.7	54
o.	100% fruit or vegetable juice	17.8	16.7 - 18.9	22	31.0	29.9 - 32.2	31	-	-	1	25.2	24.4 - 26.0	54
p.	Foods or beverages containing caffeine	0.0	†	22	0.0	†	31	-	-	1	0.0	†	54
q.	Fruits (not fruit juice)	27.4	26.1 - 28.8	22	31.0	29.9 - 32.2	31	-	-	1	29.0	28.2 - 29.9	54
r.	Non-fried vegetables (not vegetable juice)	22.7	21.5 - 24.0	22	25.1	24.1 - 26.2	31	-	-	1	23.7	22.9 - 24.5	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

		High Schools		Mic	ddle Schools			/Senior Hig Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	14.0	13.0 - 15.1	22	19.3	18.3 - 20.3	31	-	-	1	16.8	16.1 - 17.6	54
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	62.6	61.2 - 64.1	22	46.0	44.7 - 47.3	31	-	-	1	51.7	50.8 - 52.7	54
c.	Provided information to students or families on the nutrition and caloric content of foods available	76.9	75.7 - 78.2	22	60.7	59.5 - 61.9	31	-	-	1	67.8	66.9 - 68.7	54
d.	Conducted taste tests to determine food preferences for nutritious items	44.9	43.4 - 46.3	22	21.4	20.4 - 22.4	31	-	-	1	32.1	31.2 - 33.0	54
e.	Served locally or regionally grown foods in the cafeteria or classrooms	90.7	89.7 - 91.5	22	82.9	81.9 - 83.8	31	-	-	1	86.3	85.6 - 86.9	54
f.	Planted a school food or vegetable garden	86.0	84.9 - 87.0	22	62.3	61.1 - 63.5	31	-	-	1	72.4	71.5 - 73.2	54
g.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	90.7	89.7 - 91.5	22	90.4	89.6 - 91.1	31	-	-	0	90.5	89.9 - 91.0	53
h.	Used attractive displays for fruits and vegetables in the cafeteria	67.9	66.5 - 69.3	22	80.7	79.7 - 81.7	31	-	-	0	75.6	74.7 - 76.4	53

N = Unweighted number of observations

Page 41 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mic	ddle Schools			/Senior Hig Schools	h	A	All Schools	
		D	95% Confidence	NT	Demont	95% Confidence	NT		95% Confidence	NT	Danasat	95% Confidence	NT
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i.	Offered a self-serve salad bar to students	91.0	90.1 - 91.8	22	83.7	82.7 - 84.6	31	-	-	0	86.6	85.9 - 87.3	53
j.	Encouraged students to drink plain water	76.9 75.7 - 78.2 22		83.7	82.7 - 84.6	31	-	-	0	81.0	80.2 - 81.7	53	
k.	Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	53.9	52.4 - 55.4	22	40.9	39.7 - 42.2	31	-	-	1	47.1	46.2 - 48.1	54
1.	Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	62.9 61.5 - 64.4 22		45.2	43.9 - 46.4	31	-	-	1	53.2	52.3 - 54.2	54	

N = Unweighted number of observations

Page 42 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		Hi	gh Schools		Mic	ddle Schools			/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	In school buildings	90.7	89.7 - 91.5	22	94.1	93.5 - 94.7	31	-	-	1	92.9	92.4 - 93.3	54
	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	86.0	84.9 - 87.0	22	94.1	93.5 - 94.7	31	-	-	1	91.0	90.5 - 91.5	54
c.	On school buses or other vehicles used to transport students	90.7	89.7 - 91.5	22	90.4	89.6 - 91.1	31	-	-	1	90.7	90.1 - 91.2	54
d.	In school publications (e.g., newsletters, newspapers, web sites, other school publications)	76.6	75.3 - 77.9	22	90.4	89.6 - 91.1	31	-	-	1	85.1	84.4 - 85.8	54
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	86.0	84.9 - 87.0	22	86.6	85.7 - 87.5	31	-	-	1	86.6	85.9 - 87.3	54

N = Unweighted number of observations

Page 43 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	Hi	gh Schools		Mid	dle Schools			r/Senior Hig Schools	gh	A	ll Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	:
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Yes, in all locations	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
b. Yes, in certain locations	0.0	†	22	0.0	†	31	-	-	1	0.0	†	54
c. No	0.0	†	22	0.0	†	31	-	_	1	0.0	†	54

N = Unweighted number of observations

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

H	igh Schools		Mid	ldle Schools		Junior/Sea	nior High Sc	hools	A	11 Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	22	100.0	†	31	-	-	1	100.0	†	54

N = Unweighted number of observations

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

2020 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

		H	igh Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
				Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	Cafeteria during breakfast	90.2	89.2 - 91.1	21	97.0	96.5 - 97.4	30	-	-	0	94.3	93.8 - 94.7	51
b.	Cafeteria during lunch	90.2	89.2 - 91.1	21	97.0	96.5 - 97.4	30	-	-	0	94.3	93.8 - 94.7	51
c.	Gymnasium or other indoor physical activity facilities	100.0	†	21	96.6	96.1 - 97.1	27	-	-	1	98.1	97.8 - 98.3	49
d.	Outdoor physical activity facilities or sports fields	100.0	†	21	93.1	92.4 - 93.7	30	-	-	1	95.9	95.5 - 96.3	52
e.	Hallways throughout the school	100.0	†	21	97.1	96.6 - 97.4	31	-	-	1	98.2	98.0 - 98.5	53

^{*}Among schools with that location.

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Ser	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
91.3	91.3 90.4 - 92.1 22		48.1	46.9 - 49.4	31	_	-	1	66.1	65.2 - 67.0	54	

Page 47 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup. $N = Unweighted \ number \ of \ observations$

2020 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent				Interval	N	Percent	Interval	N	
13.4	12.4 - 14.4	22	62.3	61.1 - 63.5	31	_	-	1	43.7	42.7 - 44.6	54	

N = Unweighted number of observations

Page 48 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Ser	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
28.0	26.7 - 29.4	22	32.6	31.4 - 33.8	31	_	_	1	32.1	31.2 - 33.0	54

Page 49 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup. $N = Unweighted \ number \ of \ observations$

2020 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		Hi	igh Schools		Mie	ddle Schools			/Senior Hig Schools	;h	A	All Schools	
			95% Confidence	3.7		95% Confidence	3.7		95% Confidence	3.7	.	95% Confidence	3.7
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	9.3	8.5 - 10.3	22	2.9	2.6 - 3.4	31	-	-	1	5.4	5.0 - 5.9	54
b.	HIV treatment (ongoing medical care for persons living with HIV)	9.3	8.5 - 10.3	22	2.9	2.6 - 3.4	31	-	-	1	5.4	5.0 - 5.9	54
c.	STD testing	9.3	8.5 - 10.3	22	5.9	5.3 - 6.5	31	-	-	1	7.1	6.7 - 7.6	54
d.	STD treatment	4.7	4.1 - 5.4	22	5.9	5.3 - 6.5	31	-	-	1	5.3	4.9 - 5.7	54
e.	Pregnancy testing	9.3	8.5 - 10.3	22	5.9	5.3 - 6.5	31	-	-	1	7.1	6.7 - 7.6	54
f.	Provision of condoms	100.0	†	10	95.0	94.3 - 95.6	23	-	-	1	96.6	96.1 - 97.0	34
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	100.0	†	10	96.2	95.7 - 96.7	24	-	-	1	97.4	97.0 - 97.7	35
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	14.0	13.0 - 15.1	22	6.7	6.1 - 7.4	31	-	-	1	9.5	8.9 - 10.0	54
i.	Prenatal care	4.9	4.3 - 5.6	21	0.0	†	31	-	-	1	1.9	1.6 - 2.2	53

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

Page 50 of 64

2020 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		Hi	igh Schools		Mi	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
j.	Human papillomavirus (HPV) vaccine administration	9.3	8.5 - 10.3	22	2.9	2.6 - 3.4	31	-	-	1	5.4	5.0 - 5.9	54
k.	Assessment for alcohol or other drug use, abuse, or dependency	55.1	53.7 - 56.6	22	14.7	13.9 - 15.6	31	-	-	1	30.4	29.6 - 31.3	54
1.	Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	100.0	†	22	93.3	92.6 - 93.9	31	-	-	1	96.1	95.7 - 96.4	54
m	Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	95.6	95.0 - 96.2	22	76.2	75.1 - 77.3	31	-	-	1	84.3	83.6 - 85.0	54
n.	Case management for students with chronic health conditions (e.g., asthma, diabetes)	95.6	95.0 - 96.2	22	90.4	89.6 - 91.1	31	-	-	1	92.6	92.1 - 93.1	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mid	dle Schools			/Senior Hig Schools	;h	A	ll Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
b.	HIV treatment (ongoing medical care for persons living with HIV)	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
c.	nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
d.	PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
e.	STD testing	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
f.	STD treatment	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
g.	Pregnancy testing	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mid	dle Schools			:/Senior Hig Schools	gh	A	ll Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	:
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
h.	Provision of condoms	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
i.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
j.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
k.	Prenatal care	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
1.	Human papillomavirus (HPV) vaccine administration	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54
m	Alcohol or other drug abuse treatment	100.0	†	22	100.0	†	31	-	-	1	100.0	†	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent				Interval	N	Percent	Interval	N
77.9	76.6 - 79.1	22 91.2 90.5 - 91.8		31	_	_	1	86.1	85.4 - 86.7	54	

N = Unweighted number of observations

Page 54 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

		Hi	igh Schools		Mie	ddle Schools			r/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. A	Asthma	100.0	†	22	97.1	96.6 - 97.4	31	-	-	1	98.3	98.0 - 98.5	54
b. I	Food allergies	100.0	†	22	97.1	96.6 - 97.4	31	-	-	1	98.3	98.0 - 98.5	54
c. I	Diabetes	95.6	95.0 - 96.2	22	97.1	96.6 - 97.4	31	-	-	1	96.6	96.2 - 96.9	54
d. I	Epilepsy or seizure disorder	95.6	95.0 - 96.2	22	97.1	96.6 - 97.4	31	-	-	1	96.6	96.2 - 96.9	54
e. (Dbesity	49.8	48.4 - 51.3	22	59.4	58.1 - 60.6	31	-	-	1	54.5	53.6 - 55.4	54
f. I	Hypertension/high blood pressure	72.6	71.2 - 73.9	22	64.4	63.2 - 65.6	31	-	-	1	68.3	67.4 - 69.2	54
g. (Oral health condition (e.g., abscess, tooth decay)	59.2	57.7 - 60.6	22	60.2	58.9 - 61.4	31	-	-	1	58.7	57.7 - 59.6	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

Page 55 of 64

2020 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

		H	igh Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Asthma	86.0	84.9 - 87.0	22	79.1	78.1 - 80.2	31	-	-	1	82.2	81.5 - 83.0	54
b.	Food allergies	86.0	84.9 - 87.0	22	79.1	78.1 - 80.2	31	-	-	1	82.2	81.5 - 83.0	54
c.	Diabetes	86.0	84.9 - 87.0	22	79.1	78.1 - 80.2	31	-	-	1	82.2	81.5 - 83.0	54
d.	Epilepsy or seizure disorder	86.0	84.9 - 87.0	22	79.1	78.1 - 80.2	31	-	-	1	82.2	81.5 - 83.0	54
e.	Obesity	72.6	71.2 - 73.9	22	69.5	68.3 - 70.7	31	-	-	1	71.3	70.4 - 72.2	54
f.	Hypertension/high blood pressure	90.7	89.7 - 91.5	22	69.5	68.3 - 70.7	31	-	-	1	78.4	77.6 - 79.2	54
g.	Oral health condition (e.g., abscess, tooth decay)	90.7	89.7 - 91.5	22	75.3	74.1 - 76.4	30	-	-	1	82.0	81.2 - 82.7	53

N = Unweighted number of observations

Page 56 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

		Н	igh Schools		Mi	ddle Schools			:/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not provide any sexual or reproductive health services	0.0	†	10	0.0	†	23	-	-	1	0.0	†	34
b.	Parental consent is required before any sexual or reproductive health services are provided	0.0	†	10	0.0	†	23	-	-	1	0.0	†	34
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	10	3.9	3.4 - 4.5	23	-	-	1	2.7	2.4 - 3.1	34
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	†	10	0.0	†	23	-	-	1	0.0	†	34
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	59.9	57.7 - 62.0	10	53.6	52.1 - 55.0	23	-	-	1	56.7	55.5 - 57.9	34
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	40.1	38.0 - 42.3	10	42.5	41.1 - 44.0	23	-	-	1	40.6	39.4 - 41.8	34

Page 57 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

		Н	igh Schools		Mi	ddle Schools			r/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not refer any sexual or reproductive health services	0.0	†	22	0.0	†	31	-	-	1	0.0	†	54
b.	Parental consent is required before any sexual or reproductive health services are referred	0.0	†	22	0.0	†	31	-	-	1	0.0	†	54
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	0.0	†	22	2.9	2.6 - 3.4	31	-	-	1	1.7	1.5 - 2.0	54
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	4.7	4.1 - 5.4	22	0.0	†	31	-	-	1	1.8	1.6 - 2.1	54
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	0.0	†	22	0.0	†	31	-	-	1	0.0	†	54
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	95.3	94.6 - 95.9	22	97.1	96.6 - 97.4	31	-	-	1	96.4	96.1 - 96.8	54

Page 58 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

		High Schools 95% Confidence		Mic	ddle Schools			/Senior Hig Schools	j h	A	All Schools		
						95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	100.0	†	22	89.6	88.7 - 90.3	31	-	-	1	93.9	93.4 - 94.3	54
b.	Sexual health services that adolescents should receive	100.0	†	22	86.6	85.7 - 87.5	31	-	-	1	92.2	91.6 - 92.7	54
c.	Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	100.0	†	22	89.6	88.7 - 90.3	31	-	-	1	93.9	93.4 - 94.3	54
d.	Importance of maintaining student confidentiality for sexual health services	100.0	†	22	89.6	88.7 - 90.3	31	-	-	1	93.9	93.4 - 94.3	54
e.	How to create or use a student referral guide for sexual health services	100.0	†	22	86.6	85.7 - 87.5	31	-	-	1	92.2	91.6 - 92.7	54
f.	How to make successful referrals of students to sexual health services	100.0	†	22	86.6	85.7 - 87.5	31	-	-	1	92.2	91.6 - 92.7	54
g.	Best practices for adolescent sexual health services provision, such as making services youth-friendly	100.0	†	22	86.6	85.7 - 87.5	31	-	-	1	92.2	91.6 - 92.7	54
h.	Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	100.0	†	22	86.6	85.7 - 87.5	31	-	-	1	92.2	91.6 - 92.7	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		H	igh Schools		Mic	ddle Schools			/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Provided parents with information to support parent-adolescent communication about sex	95.6	95.0 - 96.2	22	94.1	93.5 - 94.7	31	-	-	1	94.8	94.4 - 95.2	54
b.	Provided parents with information to support parent-adolescent communication about topics other than sex	100.0	†	22	97.1	96.6 - 97.4	31	-	-	1	98.3	98.0 - 98.5	54
c.	Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	95.3	94.6 - 95.9	22	100.0	†	31	-	-	1	98.2	97.9 - 98.4	54
d.	Provided parents with information to support one-on-one time between adolescents and their health care providers	95.6	95.0 - 96.2	22	94.1	93.5 - 94.7	31	-	-	1	94.8	94.4 - 95.2	54
e.	Provided parents with information about physical education and physical activity programs	95.6	95.0 - 96.2	22	80.8	79.8 - 81.8	30	-	-	1	85.3	84.6 - 86.0	53
f.	Involved parents as school volunteers in the delivery of health education activities and services	35.8	34.4 - 37.3	22	23.0	21.9 - 24.1	31	-	-	1	27.6	26.8 - 28.5	54
g.	Involved parents as school volunteers in physical education or physical activity programs	58.9	57.4 - 60.3	22	51.1	49.8 - 52.3	31	-	-	1	53.2	52.3 - 54.2	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
		95% Confidence			95% Confidence			95% Confidence			95% Confidence		
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
h.	Linked parents and families to health services and programs in the community	95.6	95.0 - 96.2	22	100.0	†	31	-	-	1	98.3	98.0 - 98.5	54
i.	Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	59.5	58.0 - 61.0	22	54.8	53.6 - 56.1	31	-	-	1	57.5	56.6 - 58.4	54
j.	Provided parents with information about before- or after-school programs available in the community	81.3	80.1 - 82.5	22	90.4	89.6 - 91.1	31	-	-	1	87.0	86.3 - 87.6	54

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

[†] Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

2020 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

		High Schools		Mic	Middle Schools			Junior/Senior High Schools			All Schools		
		95% Confidence		95% Confidence			95% Confidence			95% Confidence			
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	59.5	58.0 - 61.0	22	28.9	27.7 - 30.0	31	-	-	1	40.5	39.5 - 41.4	54
b.	Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	76.2	74.9 - 77.5	21	42.2	41.0 - 43.5	31	-	-	1	54.5	53.6 - 55.5	53

N = Unweighted number of observations

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

		High Schools		Mic	Middle Schools			Junior/Senior High Schools			All Schools		
		95% Confidence		95% Confidence			95% Confidence			95% Confidence			
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Service-learning programs, that is, community service designed to meet specific learning objectives	72.6	71.2 - 73.9	22	26.9	25.8 - 28.1	30	-	-	1	44.9	43.9 - 45.8	53
b.	Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	69.9	68.4 - 71.3	20	50.4	49.1 - 51.7	30	-	-	1	56.8	55.8 - 57.8	51

N = Unweighted number of observations

Page 63 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup.

2020 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

H	igh Schools	Mi	ddle Schools		Junior/Sea	nior High Sc	All Schools				
	95%			95%			95%	95% Confidence			
	Confidence			Confidence			Confidence				
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
77.3	76.0 - 78.5	22	38.8	37.6 - 40.1	30	_	-	1	53.6	52.6 - 54.5	53

Page 64 of 64

⁻ Results are suppressed due to insufficient number of respondents in subgroup. $N = Unweighted \ number \ of \ observations$